


SERVICE PLATFORM QUOTE TEMPLATE

Job Name: _____

Platform Label: _____



PRODUCT DESCRIPTION

The MIRO BRIDGE CROSSOVERS ARE CUSTOM DESIGNED IN-HOUSE TO MEET PROJECT SPECIFIC NEEDS AND CODE REQUIREMENTS. BASES AND MATERIAL ARE SELECTED TO MEET DESIGN CONSTRAINTS AND SPECIFICATIONS.

ALL CROSSOVER STRUCTURES ARE DESIGNED TO MEET LOADING CRITERIA PER ASCE 7 - MINIMUM DESIGN LOADS FOR BUILDINGS AND OTHER STRUCTURES AND OSHA REQUIREMENTS.

INSTALLATION PROCEDURES

1. TYPICAL MIRO BRIDGE CROSSOVER, WALKWAY, SERVICE PLATFORM AND RAMP SYSTEMS ARE SHIPPED PARTIALLY ASSEMBLED. (FIELD ASSEMBLY IS REQUIRED)
2. USING PROVIDED HARDWARE AND INCLUDED DRAWINGS TO BUILD A SUITABLE SUPPORT.
3. CLEAR ALL LOOSE GRAVEL AND AGGREGATE AWAY FROM ROOF-TOP SITE.
4. PLACE MIRO BASE ON A WALK PAD OR SLIP PAD FOR ADDITIONAL PROTECTION
5. MAKE SURE TO CENTER EACH UNIT, AND MAKE NECESSARY ADJUSTMENTS SO THAT EACH FOOT CARRIES AN EVEN LOAD.

ACCESSORIES

- Support pad or deck plate
- Eternabond® 2-sided tape

This document, attachments, and all of the information therein are the property of MIRO Industries, Inc. The information contained is loaned, subject to return upon demand, and is not to be used directly or indirectly in any way detrimental to our interest. Further the information contained therein shall not be used, in whole or in part, except when allowed by written authorization from MIRO Industries, Inc. © MIRO INDUSTRIES, INC. 2003-2014