



# SafetyGateCompany

Fall Protection for Life and Compliance




## SAFETY GATES

ACCESS CONTROL BARRIER

 **contractors  
express-inc.**  
PHONE: 630.655.1795  
7475 S. Madison • Willowbrook, Illinois 60527  
E-MAIL: Sales@Contractors-Express.com  
WWW.CONTRACTORS-EXPRESS.COM



PROUDLY 100%  
MADE IN THE USA



## SRC ADJUSTABLE SELF-CLOSING GATES

### DESCRIPTION

SRC Adjustable Self-Closing Gates are an OSHA compliant solution for securing unprotected openings, creating a controlled entry/exit point for your work area or access ladder. Multiple sizing options available, each with lateral adjustment.

### USES

SRC Adjustable Self-Closing Gates are designed for all indoor and outdoor applications that require OSHA compliant fall protection or barrier guarding - 29 CFR 1910.23(a)(2). Commonly used in industrial, commercial and work-site construction environments as a permanent or portable solution. Works in conjunction with new or existing:

- Access and Crossover Ladders
- Rail Systems
- Wall and Door Openings
- Machine Guarding
- Mezzanines

### OSHA COMPLIANCE

- Compliant with OSHA standard – 29 CFR 1910.23(a)(2)


### FEATURES

- Heavy duty construction ideal for commercial and industrial environments
- Self-closing hinge utilizes durable stainless steel torsion springs
- Universal hinge allows for right-hand or left-hand mounting orientation
- Multiple mounting options available
- All hardware included for simple installation
- American Welding Society Certified (AWS D1.1 & D1.3)
- 100% Made in USA
- Powder coat, galvanized and stainless steel available
- Custom RAL colors available



MADE IN USA

## DIMENSIONS



## MOUNT OPTIONS



POST ROUND



POST SQUARE



FLAT BAR



FLAT WALL

## WIDTH OPTIONS POST ATTACHMENT

16-22"



23-29"



30-36"



## WIDTH OPTIONS FLAT ATTACHMENT

16-22"



19-25"



26-32"



33-39"




## PRODUCT SPECS

- Compliant with OSHA Standard: 29 CFR 1910.23(a)(2)
- Tested for 200 lb (90.7kg) force in outward and downward directions
- Assembled height: 42" (107cm) top rail, 21" (53cm) mid-rail
- Gate body material 3/16" (4.76mm) flat steel; gate arm material 1" (25.4mm) x 14GA square tube
- Stainless steel torsion springs: Material 302SS 0.105"D
- 100% Made in USA
- American Welding Society Certified (AWS D1.1 & D1.3)
- Use Gate Hitch Post (Part# 400389) when existing mounting option is not available
- Use Self-Closing Gate Frame with mobile rail systems (Part# 400589)

## FINISH OPTIONS



SAFETY YELLOW



GALVANIZED



STAINLESS STEEL  
304SS

## INSTALLATION

- All mounting hardware provided
- Install top of gate at 42" (107cm) resulting in 21" (53cm) mid-rail height required by OSHA
- Single person installation
- Intended for both interior and exterior uses

PROJECT:

CONTRACTOR:

DATE:




SPECIFICATIONS AND BIM MODELS  
AVAILABLE ON:

**ARCAT**<sup>®</sup>





# SRC ADJUSTABLE SELF-CLOSING GATES

# PRODUCT PART NUMBERS


## POST ATTACHMENT: for 1" to 2" round or square post mounting

ITEM #	16" to 22" ADJUSTMENT RANGE	IMAGE	WEIGHT
400134	Self Closing Gate (Powdercoat)		17 lb.
400613	Self Closing Gate (Galvanized)		18 lb.
400369	Self Closing Gate (Stainless)		18 lb.
ITEM #	23" to 29" ADJUSTMENT RANGE	IMAGE	WEIGHT
400313	Self Closing Gate (Powdercoat)		19 lb.
400344	Self Closing Gate (Galvanized)		20 lb.
400370	Self Closing Gate (Stainless)		20 lb.
ITEM #	30" to 36" ADJUSTMENT RANGE	IMAGE	WEIGHT
400080	Self Closing Gate (Powdercoat)		23 lb.
400073	Self Closing Gate (Galvanized)		24 lb.
400371	Self Closing Gate (Stainless)		24 lb.

## FLAT ATTACHMENT: for 2" to 3" flat steel ladders and wall mounting

ITEM #	16" to 22" ADJUSTMENT RANGE	IMAGE	WEIGHT
400319	Self Closing Gate (Powdercoat)		16 lb.
400360	Self Closing Gate (Galvanized)		17 lb.
400372	Self Closing Gate (Stainless)		17 lb.
ITEM #	19" to 25" ADJUSTMENT RANGE	IMAGE	WEIGHT
400229	Self Closing Gate (Powdercoat)		18 lb.
400323	Self Closing Gate (Galvanized)		19 lb.
400373	Self Closing Gate (Stainless)		19 lb.
ITEM #	26" to 32" ADJUSTMENT RANGE	IMAGE	WEIGHT
400316	Self Closing Gate (Powdercoat)		21 lb.
400612	Self Closing Gate (Galvanized)		22 lb.
400374	Self Closing Gate (Stainless)		22 lb.
ITEM #	33" to 39" ADJUSTMENT RANGE	IMAGE	WEIGHT
400226	Self Closing Gate (Powdercoat)		23 lb.
400611	Self Closing Gate (Galvanized)		24 lb.
400375	Self Closing Gate (Stainless)		24 lb.

## GATE HITCH POST: for freestanding floor mount

400389	Self-Closing Gate Hitch Post Galvanized		14 lb.
400969	Self-Closing Gate Hitch Post Galvanized and Yellow		14 lb.

